

MEDICATION(S) SUBJECT TO STEP THERAPY

ALOGLIPTIN, ALOGLIPTIN-METFORMIN, ALOGLIPTIN-PIOGLITAZONE

CRITERIA

Requires a trial and failure of a covered metformin tablet or metformin ER tablet at a minimum dose of at least 1500mg/day, for at least 90 days within the last 180 days. Created: 01/01/2019

MEDICATION(S) SUBJECT TO STEP THERAPY

AZELASTINE HCL 0.05% DROPS

CRITERIA

Trial and failure of ketotifen drops before azelastine.

MEDICATION(S) SUBJECT TO STEP THERAPY

BEVESPI AEROSPHERE

CRITERIA

Step Therapy Criteria: Requires the use of 2 fills of one of the following agents within the last 90 days:

- Serevent • Incruse Ellipta Updated 11/27/19

MEDICATION(S) SUBJECT TO STEP THERAPY

ENTRESTO

CRITERIA

Step Therapy Criteria: Requires prior trial and failure of a 30-day supply of ACE or ARB in the last 180 days.

MEDICATION(S) SUBJECT TO STEP THERAPY

GRANISETRON HCL 1 MG TABLET

CRITERIA

Step Therapy Criteria: Requires trial and failure of one of the following step 1 agents within the last 180 days: • Ondansetron 4 mg/5 ml Solution • Ondansetron 24 mg Tablet • Ondansetron 4 mg Tablet • Ondansetron 8 mg Tablet • Ondansetron ODT 4 mg Tablet • Ondansetron ODT 8 mg Tablet Last updated 11/27/2019

MEDICATION(S) SUBJECT TO STEP THERAPY

APRISO, DELZICOL, MESALAMINE 800 MG DR TABLET, PENTASA

CRITERIA

Pentasa 250 mg, Pentasa 500 mg, Mesalamine HD DR 800 mg (Asacol) - Requires trial and failure of a 30 day supply of ONE of Balsalazide Disodium 750 mg or Sulfasalazine DR 500 mg or Sulfasalazine 500 mg AND ONE of Delzicol DR 400 mg or Apriso ER 0.375 gram.

Delzicol DR 400 mg, Mesalamine ER 0.375 g (Apriso), Mesalamine DR 1.2 gram (Lialda) - Requires trial and failure of 30 day supply of ONE of Balsalazide Disodium 750 mg or Sulfasalazine DR 500 mg or Sulfasalazine 500 mg.

Updated 3/3/20

MEDICATION(S) SUBJECT TO STEP THERAPY

LEVALBUTEROL TARTRATE HFA

CRITERIA

Requires trial and failure of a 14 days supply of the following drug within the last 180 days: • Albuterol HFA (generic Ventolin HFA) Effective 10/1/2018, updated 1/1/2019

MEDICATION(S) SUBJECT TO STEP THERAPY

MALATHION

CRITERIA

Trial and failure of OTC Permethrin 1% lotion within previous 180-days.

MEDICATION(S) SUBJECT TO STEP THERAPY

MYCOPHENOLIC ACID

CRITERIA

Requires trial and failure of one of the following step 1 agents within the last 180 days Step 1 Drugs: • Mycophenolate 250 mg Capsule • Mycophenolate 500 mg Capsule • Mycophenolate 200 mg/ml Suspension Last updated 10/1/2018

MEDICATION(S) SUBJECT TO STEP THERAPY

NITROGLYCERIN LINGUAL 0.4 MG, NITROGLYCERIN LINGUAL 400 MCG

CRITERIA

Requires trial and failure of a 7 day supply of one of the following step 1 agents within the last 180 days: • Nitroglycerin 0.3mg Tablet SL • Nitroglycerin 0.4mg Tablet SL • Nitroglycerin 0.6mg Tablet SL
Effective 10/1/2018

MEDICATION(S) SUBJECT TO STEP THERAPY

HEARTBURN TREATMENT 24 HOUR, CVS LANSOPRAZOLE DR 15 MG CAP, EQ
LANSOPRAZOLE DR 15 MG CAP, EQL LANSOPRAZOLE DR 15 MG CAP, GNP LANSOPRAZOLE
DR 15 MG CAP, GS LANSOPRAZOLE DR 15 MG CAP, HM LANSOPRAZOLE DR 15 MG CAP, KRO
LANSOPRAZOLE DR 15 MG CAP, LANSOPRAZOLE DR 15 MG CAPSULE, LANSOPRAZOLE DR
30 MG CAPSULE, RA LANSOPRAZOLE DR 15 MG CAP, SM LANSOPRAZOLE DR 15 MG CAP,
NEXIUM 24HR 20 MG CAPSULE

CRITERIA

Requires trial and failure of two different drug entities, (not multiple strengths or forms of the same drug), within the last 180 days. Effective 10/1/2018

MEDICATION(S) SUBJECT TO STEP THERAPY

SPINOSAD

CRITERIA

N/A

MEDICATION(S) SUBJECT TO STEP THERAPY

TRETINOIN 0.025% CREAM

CRITERIA

Step Therapy Criteria: Requires prior trial and failure of 2 fills in the last 90 days. • Differin 0.1% OTC Gel

MEDICATION(S) SUBJECT TO STEP THERAPY

ZOLMITRIPTAN 2.5 MG TABLET, ZOLMITRIPTAN 5 MG TABLET, ZOLMITRIPTAN ODT

CRITERIA

Minimum trial of two preferred formulary (2) agents (not multiple strengths or forms of the same drug) in the previous 180-days. Last updated 10/1/2018

UPHP COMMON MEDICAID - URINARY ANTISPASMOTIC

MEDICATION(S) SUBJECT TO STEP THERAPY

TOLTERODINE TARTRATE, TOLTERODINE TARTRATE ER, TROSPIMUM CHLORIDE, TROSPIMUM CHLORIDE ER

CRITERIA

Trial and failure of oxybutynin in previous 180 days. Last updated 10/1/2018